

View Online at <https://aerobasegroup.com/nsn/5340-01-212-8476>

First Leg Length:

2.000 inches

Second Leg Length:

6.750 inches

Second Leg Width:

14.250 inches

Second Leg End Width:

4.500 inches

First Leg Hole Diameter:

0.531 inches

Second Leg Hole Diameter:

0.531 inches

Second Leg Distance Between Hole Centers Along Width:

2.875 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

5.875 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

2.935 inches

Second Leg Distance From Edge To Hole Center Along Width:

5.810 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.746 inches

Second Leg Distance Between First And Second Hole Centers Along Length:

1.874 inches

Second Leg Distance Between Second And Third Hole Centers Along Length:

0.188 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

14.250 inches

First Leg Distance Between Hole Centers Along Width:

12.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

Special Features:

Finish coat-green 383; specification mil-c-46168; film thickness apply mil-std-193

Material:

Steel

Material Specification:

Qq-s-635 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.