

View Online at <https://aerobasegroup.com/nsn/5340-01-213-5468>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.500 inches

**Second Leg Length:**

1.000 inches

**Second Leg Width:**

1.800 inches

**First Leg Hole Diameter:**

Between 0.213 inches and 0.216 inches

**Second Leg Hole Diameter:**

Between 0.172 inches and 0.175 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.496 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.152 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.200 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

1.800 inches

**First Leg Distance Between Hole Centers Along Width:**

1.400 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.200 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.200 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Long leg notched 0.600 in. W by 0.888 in. Lg with two 0.090 in. Internal radiused corners; two fasteners, self locking, spline p/n 929339-2, fscm 49956 are pressed into leg segments on both sides of notch; short leg has two fasteners, self locking, spline p/n 929339-4, fscm 49956 pressed into 1.400 mounting centers; all flanges of fsateners are on the inside faces of the bracket

**Material:**

Aluminum alloy 6063

**Material Specification:**

Qq-a-200, t52 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.