

View Online at <https://aerobasegroup.com/nsn/5340-01-215-9219>

**Mounting Hole Type:**

Plain and countersunk

**First Leg Length:**

1.250 inches

**Second Leg Length:**

1.250 inches

**First Leg Hole Diameter:**

Between 0.141 inches and 0.147 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**Center Section Height:**

2.120 inches

**Center Section Width:**

2.000 inches

**Center Section Thickness:**

0.063 inches

**First Leg Width:**

2.000 inches

**First Leg Corner Radius:**

0.120 inches

**First Leg Distance Between Hole Centers Along Width:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

2nd hole each leg csk 0.134 in. Min and 0.138 in. Maximum dia; ctr sect hole 1.500 in. Diameter and 2 holes 0.206 in. Min and 0.212 in. Maximum dia; 2 slots on each leg 0.219 in. Lg by 0.256 in. Wd

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8 h-32 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 cl 1 or 3 military specification single treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.