

View Online at <https://aerobasegroup.com/nsn/5340-01-216-1411>

Mounting Hole Type:

Plain

First Leg Length:

0.705 inches

Second Leg Length:

1.453 inches

Second Leg Width:

1.695 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.454 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.475 inches

Second Leg Slot Length:

Between 0.570 inches and 0.590 inches

Second Leg Slot Width:

Between 0.345 inches and 0.351 inches

First Leg Thickness:

Between 0.054 inches and 0.063 inches

Second Leg Thickness:

Between 0.054 inches and 0.063 inches

First Leg Width:

1.695 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

1.195 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

107.5 degrees

Material:

Nickel alloy x-750

Material Specification:

Ams 5542 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0