## NSN 5340-01-217-6334

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-217-6334

First Leg Length:

Between 0.703 inches and 0.733 inches

Second Leg Length:

1.450 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

**Second Leg Hole Diameter:** 

Between 0.216 inches and 0.226 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.125 inches

**Second Leg Distance From Edge To Hole Center Along Length:** 

0.125 inches

First Leg Thickness:

Between 0.045 inches and 0.055 inches

Second Leg Thickness:

Between 0.045 inches and 0.055 inches

First Leg Width:

0.874 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

0.624 inches

First Leg Distance From Edge To Hole Center Along Width:

0.125 inches

First Leg Distance From Edge To Hole Center Along Length:

0.125 inches

Second Leg End Radius:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

**Second Leg Hole Arrangement Style:** 

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Titanium alloy

## NSN 5340-01-217-6334

Angle Bracket - Page 2 of 2



Material Specification:
-------------------------

Ams 4911 assn standard single material response

**Style Designator:** 

Angle

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0