NSN 5340-01-218-7160

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-218-7160

Mounting Hole Type:
Plain
First Leg Length:
1.250 inches
Second Leg Length:
1.380 inches
Second Leg Width:
0.750 inches
First Leg Hole Diameter:
Between 0.406 inches and 0.436 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.380 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.410 inches
Second Leg Slot Length:
Between 0.465 inches and 0.495 inches
Second Leg Slot Width:
Between 0.385 inches and 0.415 inches
First Leg Thickness:
0.0598 inches
Second Leg Thickness:
0.0598 inches
First Leg Width:
0.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.380 inches
First Leg Distance From Edge To Hole Center Along Length:
0.410 inches
First Leg End Radius:
0.500 inches
Second Leg End Radius:
0.500 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One slot
Second Leg Relationship To First Leg:

Not identical

NSN 5340-01-218-7160 Angle Bracket - Page 2 of 2



First Leg Angle:	
90.0 degrees	
Material:	
Steel comp 1009	
Material Specification:	
Astm a366 assn standard single material response or astm a569 assn standard single material response	
Surface Treatment:	
Cadmium and chromate or zinc and chromate	
Surface Treatment Specification:	
Qq-p-416, type 2, cl 1 federal specification 1st treatment response or astm b633, type 2 assn standard 2nd treatment response	
Style Designator:	
Angle	
Shelf Life:	
N/a	
Unit Of Measure:	
.	
Demilitarization:	
No	
Fiig:	
A042a0	