

View Online at <https://aerobasegroup.com/nsn/5340-01-220-3137>

Mounting Hole Type:

Plain

First Leg Length:

0.638 inches

Second Leg Length:

0.765 inches

End Application:

W/s: engine, aircraft, f100 pw220 (f-15c/d/e); engine, aircraft, f100-pw-100 (f-15a/b/c/d); support equipment, c-5 aircraft; aircraft, eagle f-15; engine, aircraft, f100-pw-200 (f-16a/b/c/d)

Second Leg Width:

1.670 inches

Second Leg Corner Radius:

0.150 inches

Second Leg Hole Diameter:

Between 0.261 inches and 0.271 inches

Second Leg Distance Between Hole Centers Along Width:

1.158 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.256 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Thickness:

Between 0.037 inches and 0.044 inches

Second Leg Thickness:

Between 0.037 inches and 0.044 inches

Center Section Height:

1.405 inches

Center Section Width:

1.670 inches

Center Section Thickness:

Between 0.037 inches and 0.044 inches

First Leg Width:

1.670 inches

First Leg Corner Radius:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

149.7 degrees

Second Leg Angle:

149.7 degrees

Special Features:

Center of first leg radiused inward 0.750 in.

Material:

Nickel alloy x-750

Material Specification:

Ams 5542 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0