NSN 5340-01-221-1853

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-221-1853

View Online at https://aerobasegroup.com/nsn/5340-01-221-1853
Mounting Hole Type:
Plain
First Leg Length:
3.680 inches
Second Leg Length:
4.625 inches
Second Leg Width:
Between 2.440 inches and 2.560 inches
First Leg Hole Diameter:
Between 0.498 inches and 0.506 inches
Second Leg Hole Diameter:
Between 0.207 inches and 0.214 inches
Second Leg Distance Between Lower Hole Centers Along Width:
1.750 inches
Second Leg Distance Between Hole Centers Along Length:
2.120 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
0.900 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.350 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.600 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
2.200 inches
Center Section Width:
Between 2.440 inches and 2.560 inches
Center Section Thickness:
0.125 inches
First Leg Width:
Between 2.690 inches and 2.810 inches
First Leg Distance From Edge To Hole Center Along Width:
1.750 inches
First Leg Distance From Edge To Hole Center Along Length:
1.200 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole

NSN 5340-01-221-1853

Double Angle Bracket - Page 2 of 2



Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11 federal specification single material response
Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541, cl 1a military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-5541 spec.