## NSN 5340-01-221-3076

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-221-3076

**Mounting Hole Type:** Counterbored Second Leg Length: 4.130 inches Second Leg Width: 2.460 inches First Leg Hole Diameter: 0.513 mils and 0.523 centimeters Second Leg Hole Diameter: 0.279 mils and 0.287 centimeters Second Leg Distance Between Upper Hole Centers Along Width: 1.000 inches Second Leg Distance Between Hole Centers Along Length: 0.750 inches Second Leg Distance Between First And Second Hole Centers Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Width: 0.730 inches Second Leg Distance From Edge To Hole Center Along Length: 0.500 inches First Leg Thickness: Between 0.940 inches and 0.980 inches Second Leg Thickness: 0.375 inches First Leg Width: 2.460 inches First Leg Distance From Edge To Hole Center Along Width: 1.230 inches First Leg Distance From Edge To Hole Center Along Length: 0.870 inches First Leg Style: Square First Leg Hole Arrangement Style: One hole Second Leg Style: Square **Second Leg Hole Arrangement Style:** Three holes Second Leg Relationship To First Leg: Not identical First Leg Angle:

90.0 degrees

## NSN 5340-01-221-3076

Angle Bracket - Page 2 of 2

Mil-std (military Standard):

Mil-c-5541 spec.



Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541, type 2 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0