Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-221-3076

Mounting Hole Type:
Counterbored
Second Leg Length:
4.130 inches
Second Leg Width:
2.460 inches
First Leg Hole Diameter:
0.513 mils and 0.523 centimeters
Second Leg Hole Diameter:
0.279 mils and 0.287 centimeters
Second Leg Distance Between Upper Hole Centers Along Width:
1.000 inches
Second Leg Distance Between Hole Centers Along Length:
0.750 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
0.500 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.730 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Thickness:
Between 0.940 inches and 0.980 inches
Second Leg Thickness:
0.375 inches
First Leg Width:
2.460 inches
First Leg Distance From Edge To Hole Center Along Width:
1.230 inches
First Leg Distance From Edge To Hole Center Along Length:
0.870 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees

## NSN 5340-01-221-3076

Angle Bracket - Page 2 of 2



Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, type 2 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.