

View Online at <https://aerobasegroup.com/nsn/5340-01-221-8736>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

0.995 inches

**Second Leg Length:**

1.000 inches

**Reinforcement Method (non-core):**

Turned edge center section

**Second Leg Width:**

5.525 inches

**First Leg Hole Diameter:**

Between 0.123 inches and 0.129 inches

**Second Leg Hole Diameter:**

Between 0.221 inches and 0.226 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.400 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**Center Section Height:**

12.300 inches

**Center Section Width:**

4.950 inches

**Center Section Thickness:**

0.125 inches

**First Leg Width:**

5.525 inches

**First Leg Distance Between Hole Centers Along Width:**

3.550 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.320 inches

**First Leg Style:**

Cut out

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**First Leg Cutout Length:**

0.620 inches

**First Leg Cutout Width:**

3.300 inches

**Special Features:**

1 slot 4.350 in. W by 11.050 in. Lg located on c section, 3 holes 0.154 in. Min and 0.161 in. Maximum diameter located on c section, 12 holes 0.098 in. Min and 0.103 in. Maximum diameter located on turned edge

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h34 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.