## NSN 5340-01-223-8037

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-223-8037 **Mounting Hole Type:** Plain First Leg Length: 3.000 inches Second Leg Length: 3.500 inches Second Leg Width: Between 5.970 inches and 6.030 inches First Leg Hole Diameter: Between 0.672 inches and 0.702 inches Second Leg Hole Diameter: Between 0.516 inches and 0.546 inches Second Leg Distance Between Hole Centers Along Width: 4.000 inches Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches **Second Leg Distance From Edge To Hole Center Along Length:** 1.500 inches First Leg Thickness: 0.437 inches **Second Leg Thickness:** 0.437 inches First Leg Width: Between 5.970 inches and 6.030 inches First Leg Distance Between Hole Centers Along Width: 4.000 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 1.250 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Cut out **Second Leg Hole Arrangement Style:** Two holes Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

## NSN 5340-01-223-8037

Angle Bracket - Page 2 of 2



Second Leg Cutout Length:
Between 1.500 inches and 1.620 inches
Second Leg Cutout Width:
Between 1.500 inches and 1.620 inches
Material:
Steel
Material Specification:
Astm a36 assn standard single material response or qq-s-741 federal specification single material response
Surface Treatment:
Primer epoxy
Surface Treatment Specification:
Mil-p-52192 military specification single treatment response or mil-p-53030 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-p-52192 spec.