

View Online at <https://aerobasegroup.com/nsn/5340-01-224-4047>

**First Leg Length:**

Between 1.000 inches and 1.060 inches

**Second Leg Length:**

Between 1.160 inches and 1.220 inches

**Second Leg Width:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.195 inches and 0.202 inches

**Second Leg Hole Diameter:**

Between 0.195 inches and 0.202 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.080 mils and 1.140 centimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.220 inches and 0.280 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.220 inches and 0.280 inches

**First Leg Thickness:**

Between 0.030 inches and 0.050 inches

**Second Leg Thickness:**

Between 0.030 inches and 0.050 inches

**First Leg Width:**

Between 0.470 inches and 0.530 inches

**First Leg Corner Radius:**

0.120 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.220 inches and 0.280 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.470 inches and 0.490 inches

**Second Leg End Radius:**

0.250 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.09 radians

**Special Features:**

Includes two ms20426ad3 rivets, one ms21075l3 platenut

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-250/13 cond o federal specification single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0