

View Online at <https://aerobasegroup.com/nsn/5340-01-224-5992>

**Mounting Hole Type:**

Plain

**First Leg Length:**

2.250 inches

**Second Leg Length:**

3.880 inches

**Reinforcement Method (non-core):**

Raised center center section

**Second Leg Width:**

2.270 inches

**Second Leg End Width:**

2.250 inches

**First Leg Slot Length:**

0.810 inches

**First Leg Slot Width:**

0.500 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.062 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**Second Leg Slot Length:**

1.250 inches

**Second Leg Slot Width:**

0.500 inches

**First Leg Thickness:**

0.375 inches

**Second Leg Thickness:**

0.375 inches

**First Leg Width:**

2.275 inches

**First Leg End Width:**

2.250 inches

**First Leg Distance Between Hole Centers Along Width:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.620 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

Second leg sots extend to end of leg

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200, t6 federal specification single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Gps12-001, fscm 24930 mfr ref single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0