

View Online at <https://aerobasegroup.com/nsn/5340-01-228-0653>

Mounting Hole Type:

Plain

First Leg Length:

0.532 inches

Second Leg Length:

0.532 inches

Second Leg Width:

1.316 inches

First Leg Slot Length:

0.250 inches

First Leg Slot Width:

0.145 inches

Second Leg Distance Between Hole Centers Along Length:

0.660 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.650 inches

Second Leg Slot Length:

0.310 inches

Second Leg Slot Width:

0.125 inches

First Leg Thickness:

0.032 inches

Second Leg Thickness:

0.032 inches

Center Section Height:

0.124 inches

Center Section Width:

0.060 inches

Center Section Thickness:

0.032 inches

First Leg Width:

1.090 inches

First Leg Distance Between Hole Centers Along Length:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.190 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 3 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.