## NSN 5340-01-230-4633

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-230-4633 **Mounting Hole Type:** Plain First Leg Length: Between 1.350 inches and 1.410 inches Second Leg Length: 2.770 inches Second Leg Width: 0.750 inches First Leg Hole Diameter: Between 0.185 inches and 0.196 inches Second Leg Hole Diameter: Between 0.185 inches and 0.196 inches Second Leg Distance From Edge To Hole Center Along Width: 0.265 inches Second Leg Distance From Edge To Hole Center Along Length: 1.760 inches First Leg Thickness: 0.094 inches Second Leg Thickness: 0.094 inches **Center Section Height:** 1.470 inches **Center Section Thickness:** 0.094 inches First Leg Distance Between Hole Centers Along Width: Between 1.460 inches and 1.480 inches First Leg Distance From Edge To Hole Center Along Length: 0.620 inches First Leg Hole Arrangement Style: Two holes Second Leg Style: Square **Second Leg Hole Arrangement Style:** One hole Second Leg Relationship To First Leg: Not identical **Special Features:** First leg has 0.201 in. Min 0.212 in maximum diameter hole spaced 0.950 in. From end; central riser has 0.875 in. Diameter hole and four 0.126 in. Min 0.133 in. Maximum diameter holes

Material:

Aluminum alloy 6061

**Material Specification:** 

Qq-250/11, t6 federal specification single material response

## NSN 5340-01-230-4633

Double Angle Bracket - Page 2 of 2

Mil-c-5541 spec.



Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541, cl 1a military specification single treatment response
Style Designator:
Offset double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):