

View Online at <https://aerobasegroup.com/nsn/5340-01-230-6127>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.000 inches

**Second Leg Length:**

2.000 inches

**Second Leg Width:**

1.500 inches

**First Leg Hole Diameter:**

Between 0.220 inches and 0.231 inches

**Second Leg Hole Diameter:**

Between 0.143 inches and 0.154 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.906 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.906 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.297 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.427 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

1.500 inches

**First Leg Distance Between Hole Centers Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.370 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.440 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Hole centered in holes 2nd leg 0.984 in. Min and 0.994 in. Maximum dia

**Material:**

Aluminum alloy 5052 or aluminum alloy 6061

**Material Specification:**

Qq-a-250/8, h32 federal specification 1st material response or qq-a-250/11, t6 federal specification 2nd material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.