

View Online at <https://aerobasegroup.com/nsn/5340-01-231-9291>

Mounting Hole Type:

Plain

First Leg Length:

3.030 inches

Second Leg Length:

2.810 inches

End Application:

2320-01-047-8754 truck, wrecker, w/w

Second Leg Width:

5.120 inches

First Leg Hole Diameter:

0.406 inches

Second Leg Hole Diameter:

0.250 inches

Second Leg Distance Between Hole Centers Along Width:

3.875 inches

Second Leg Distance Between Hole Centers Along Length:

0.812 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.623 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.910 inches

First Leg Thickness:

0.120 inches

Second Leg Thickness:

0.120 inches

First Leg Width:

5.120 inches

First Leg Corner Radius:

0.500 inches

First Leg Distance Between Hole Centers Along Width:

3.625 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.620 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Long leg contains (1) hole 2.190 in. Diameter on cl located 1.490in. From right angle, on 5.12in.Cl is 2.560 in.

Material:

Steel

Material Specification:

Qq-s-698 federal specification single material response

Surface Treatment:

Paint and zinc

Surface Treatment Specification:

Tt-p-636 federal specification single treatment response and tt-p-664 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0