

View Online at <https://aerobasegroup.com/nsn/5340-01-234-9488>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.750 inches

**Second Leg Length:**

2.030 inches

**Second Leg Width:**

4.330 inches

**Second Leg End Width:**

3.710 inches

**Second Leg Hole Diameter:**

Between 0.249 inches and 0.255 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**Second Leg Distance Between First And Second Hole Centers Along Length:**

0.570 inches

**Second Leg Distance Between Second And Third Hole Centers Along Length:**

0.560 inches

**First Leg Thickness:**

0.090 inches

**Second Leg Thickness:**

0.090 inches

**First Leg Width:**

4.080 inches

**First Leg End Width:**

3.840 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

One 0.249 in. Min 0.255 in. Maximum diameter hole in second leg; two rectangular cut-outs 2.100 in. Lg by 0.712 in. W; four ms21076104 self locking nuts installed in second leg

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.