

View Online at <https://aerobasegroup.com/nsn/5340-01-234-9488>

Mounting Hole Type:

Plain

First Leg Length:

0.750 inches

Second Leg Length:

2.030 inches

Second Leg Width:

4.330 inches

Second Leg End Width:

3.710 inches

Second Leg Hole Diameter:

Between 0.249 inches and 0.255 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

Second Leg Distance Between First And Second Hole Centers Along Length:

0.570 inches

Second Leg Distance Between Second And Third Hole Centers Along Length:

0.560 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

4.080 inches

First Leg End Width:

3.840 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Special Features:

One 0.249 in. Min 0.255 in. Maximum diameter hole in second leg; two rectangular cut-outs 2.100 in. Lg by 0.712 in. W; four ms21076104 self locking nuts installed in second leg

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.