

View Online at <https://aerobasegroup.com/nsn/5340-01-236-1850>

Mounting Hole Type:

Plain

First Leg Length:

Between 44.4 millimeters and 47.6 millimeters

Second Leg Length:

Between 48.4 millimeters and 51.6 millimeters

Second Leg Width:

Between 29.0 millimeters and 31.0 millimeters

Second Leg Corner Radius:

Between 8.0 millimeters and 12.0 millimeters

First Leg Hole Diameter:

10.5 millimeters

Second Leg Hole Diameter:

20.5 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

Between 14.0 millimeters and 16.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

Between 14.0 millimeters and 16.0 millimeters

First Leg Thickness:

6.0 millimeters

Second Leg Thickness:

6.0 millimeters

First Leg Width:

Between 118.0 millimeters and 122.0 millimeters

First Leg Corner Radius:

Between 8.0 millimeters and 12.0 millimeters

First Leg Distance Between Hole Centers Along Width:

57.15 millimeters

First Leg Distance From Edge To Hole Center Along Width:

Between 9.0 millimeters and 11.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

Between 14.0 millimeters and 16.0 millimeters

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 1008

Material Specification:

1e166, fscm 11083 mfr ref single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0