

View Online at <https://aerobasegroup.com/nsn/5340-01-238-2197>

First Leg Length:

1.250 inches

Second Leg Length:

1.490 inches

Second Leg Width:

0.860 inches

Second Leg End Width:

0.620 inches

First Leg Slot Length:

0.220 inches

First Leg Slot Width:

0.120 inches

Second Leg Distance Between Hole Centers Along Width:

0.560 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.180 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.340 inches

Second Leg Slot Length:

0.220 inches

Second Leg Slot Width:

0.120 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

0.860 inches

First Leg End Width:

0.620 inches

First Leg Distance Between Hole Centers Along Width:

0.560 inches

First Leg Distance From Edge To Hole Center Along Width:

0.180 inches

First Leg Distance From Edge To Hole Center Along Length:

0.340 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Material:

Aluminum alloy 6010

Material Specification:

Qq-a-250/11, t6 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0