

View Online at <https://aerobasegroup.com/nsn/5340-01-238-5925>

**Mounting Hole Type:**

Plain and threaded

**Second Leg Width:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.250 inches and 0.258 inches

**Second Leg Hole Diameter:**

Between 0.097 inches and 0.102 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.125 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.125 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

0.250 inches

**Second Leg End Radius:**

0.250 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

Two holes

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Nut, nas696c08 riveted to interior surf of second leg over 0.169 in. Min.0.174 in. Maximum diameter hole

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiiig:**

A042a0