

View Online at <https://aerobasegroup.com/nsn/5340-01-241-6490>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.800 inches

**Second Leg Length:**

3.000 inches

**Second Leg Width:**

1.500 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

0.281 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.210 inches

**First Leg Thickness:**

0.1196 inches

**Second Leg Thickness:**

0.1196 inches

**First Leg Width:**

1.500 inches

**First Leg Distance Between Hole Centers Along Length:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.430 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1009 or steel comp 1137

**Material Specification:**

Astm a366 assn standard 1st material response or astm a569 assn standard 1st material response or astm a109 assn standard 2nd material response

**Surface Treatment:**

Plastic epoxy

**Surface Treatment Specification:**

Mil-p-52192 military specification single treatment response or mil-p-53022 military specification single treatment response or mil-p-53030 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-p-52192 spec.