

View Online at <https://aerobasegroup.com/nsn/5340-01-241-6491>

Mounting Hole Type:

Plain

First Leg Length:

0.812 inches

Second Leg Length:

1.500 inches

Reinforcement Method (non-core):

Turned edge second leg

Second Leg Width:

1.000 inches

First Leg Hole Diameter:

Between 0.234 inches and 0.238 inches

Second Leg Hole Diameter:

Between 0.125 inches and 0.129 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.060 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

Center Section Height:

0.744 inches

Center Section Thickness:

0.062 inches

First Leg Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Cut out

Criticality Code Justification:

Zzzy

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Second Leg Cutout Width:

0.380 inches

Material:

Steel comp 1009

Material Specification:

Astm a366 assn standard single material response

Surface Treatment:

Cadmium and chromate

Special Test Features (non-core):

Special quality control testing

Surface Treatment Specification:

Qq-p-416, type 2, cl 1 assn standard 1st treatment response

Style Designator:

Adjacent angles

Reference Number Differentiating Characteristics:

As differentiated by material which must conform to ships parts control center special quality control provisions and certified free from mercury contamination

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0