NSN 5340-01-246-1070

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-246-1070

Manustina IIala Tuna
Mounting Hole Type: Threaded
First Leg Length:
0.440 inches
Second Leg Length:
0.560 inches
Second Leg Width:
1.840 inches
First Leg Hole Diameter:
0.112 inches
Second Leg Hole Diameter:
0.112 inches
Second Leg Distance Between Hole Centers Along Width:
1.600 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.120 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.180 inches
First Leg Thickness:
0.060 inches
Second Leg Thickness:
0.060 inches
First Leg Width:
1.840 inches
First Leg Distance Between Hole Centers Along Width:
1.360 inches
First Leg Distance From Edge To Hole Center Along Width:
0.240 inches
First Leg Distance From Edge To Hole Center Along Length:
0.140 inches
First Leg Style:
Cut out
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Cut out
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
Two holes Second Leg Relationship To First Leg: Not identical

90.0 degrees

NSN 5340-01-246-1070 Angle Bracket - Page 2 of 2



First Leg Cutout Length:
0.280 inches
First Leg Cutout Width:
1.050 inches
Second Leg Cutout Length:
0.280 inches
Second Leg Cutout Width:
1.360 inches
Material:
Steel comp 302
Material Specification:
Astm a240 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type 4 federal specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0