

View Online at <https://aerobasegroup.com/nsn/5340-01-249-7910>

First Leg Length:

1.000 inches

Second Leg Length:

2.880 inches

Second Leg Width:

2.500 inches

First Leg Slot Length:

1.060 inches

First Leg Slot Width:

0.410 inches

Second Leg Hole Diameter:

0.295 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

Center Section Height:

0.780 inches

Center Section Width:

2.500 inches

Center Section Thickness:

0.190 inches

First Leg Width:

2.500 inches

First Leg End Width:

0.620 inches

First Leg Distance From Edge To Hole Center Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.630 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

60.3 degrees

Second Leg Angle:

60.3 degrees

Material:

Steel comp 304 or steel comp 316

Material Specification:

Astm-a240 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0