# NSN 5340-01-251-0804

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-251-0804

Mounting Hole Type:
Plain
First Leg Length:
0.438 inches
Second Leg Length:
0.781 inches
Second Leg Width:
0.938 inches
First Leg Hole Diameter:
0.116 inches
Second Leg Hole Diameter:
Between 0.313 inches and 0.318 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.469 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.469 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
First Leg Width:
1.062 inches
First Leg Distance Between Hole Centers Along Width:
0.812 inches
First Leg Distance From Edge To Hole Center Along Width:
0.125 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
Second Leg End Radius:
0.469 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees

## NSN 5340-01-251-0804

Angle Bracket - Page 2 of 2



### Special Features:

Hole in second leg has two slots 0.110 in. W and 0.105 in. Dp, in line w/two slot on periphery of leg same w cut at 30.0 deg

#### Material:

Aluminum alloy 6063

## Material Specification:

Qq-a-200/9, t52 federal specification single material response

### Surface Treatment:

Anodize

## Surface Treatment Specification:

Mil-a-8625, type 1, cl 1 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A042a0

#### Mil-std (military Standard):

Mil-a-8625 spec.