

View Online at <https://aerobasegroup.com/nsn/5340-01-252-8029>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.810 inches

**Second Leg Length:**

2.000 inches

**Second Leg Width:**

6.000 inches

**Second Leg End Width:**

1.900 inches

**First Leg Hole Diameter:**

0.234 inches

**Second Leg Hole Diameter:**

Between 0.057 inches and 0.067 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.700 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

5.625 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.200 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**First Leg Width:**

5.250 inches

**First Leg Distance Between Hole Centers Along Width:**

4.375 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.813 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.373 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Angle

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg taper 20.0 deg; second leg notched 0.850 in. Lg by 0.750 in. W

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/8, t6 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.