

View Online at <https://aerobasegroup.com/nsn/5340-01-252-8029>

Mounting Hole Type:

Plain

First Leg Length:

0.810 inches

Second Leg Length:

2.000 inches

Second Leg Width:

6.000 inches

Second Leg End Width:

1.900 inches

First Leg Hole Diameter:

0.234 inches

Second Leg Hole Diameter:

Between 0.057 inches and 0.067 inches

Second Leg Distance Between Hole Centers Along Length:

0.700 inches

Second Leg Distance From Edge To Hole Center Along Width:

5.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.200 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

First Leg Width:

5.250 inches

First Leg Distance Between Hole Centers Along Width:

4.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.813 inches

First Leg Distance From Edge To Hole Center Along Length:

0.373 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg taper 20.0 deg; second leg notched 0.850 in. Lg by 0.750 in. W

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/8, t6 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.