

View Online at <https://aerobasegroup.com/nsn/5340-01-252-9221>

Mounting Hole Type:

Plain

First Leg Length:

1.190 inches

Second Leg Length:

2.250 inches

Second Leg Width:

4.935 inches

First Leg Hole Diameter:

0.220 mils and 0.300 centimeters

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

1.500 inches

Center Section Width:

4.935 inches

Center Section Thickness:

0.125 inches

First Leg Width:

2.250 inches

First Leg End Width:

1.750 inches

First Leg Distance Between Hole Centers Along Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 of standard range single treatment response

Special Features:

Gusset has two 0.281 in. Min and 0.343 in maximum holes

Material:

Aluminum alloy 5086 or aluminum alloy 5083

Material Specification:

Qq-a-250/7, h32 federal specification 1st material response or qq-a-250/6, h323 federal specification 2nd material response

Surface Treatment:

Paint

Surface Treatment Specification:

12350824, para 3.4, cagec 19207 mfr ref single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0