

View Online at <https://aerobasegroup.com/nsn/5340-01-253-3756>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.460 inches

**Second Leg Length:**

0.530 inches

**Second Leg Width:**

2.250 inches

**First Leg Hole Diameter:**

Between 0.145 inches and 0.151 inches

**Second Leg Hole Diameter:**

Between 0.229 inches and 0.239 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.125 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.360 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.450 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.155 inches

**First Leg Thickness:**

0.032 inches

**Second Leg Thickness:**

0.032 inches

**First Leg Width:**

2.560 inches

**First Leg Distance Between Hole Centers Along Width:**

2.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.140 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.200 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

First leg is cut out at bend; six mounting holes equally spaced at 0.360 in. On second leg

**Material:**

Copper alloy 102 or copper alloy 105 or copper alloy 110 or copper alloy 116 or copper alloy 122 or copper alloy 125 or copper alloy

**Material Specification:**

Qq-c-576, 1/2 h federal specification all material responses

**Surface Treatment:**

Tin

**Surface Treatment Specification:**

Mil-t-10727 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-t-10727 spec.