

View Online at <https://aerobasegroup.com/nsn/5340-01-253-6661>

Mounting Hole Type:

Plain

First Leg Length:

4.000 inches

Second Leg Length:

7.190 inches

Second Leg Width:

2.500 inches

Second Leg End Width:

1.000 inches

Second Leg Distance Between Upper Hole Centers Along Width:

1.500 inches

Second Leg Distance Between Hole Centers Along Length:

3.190 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Thickness:

0.500 inches

Second Leg Thickness:

0.500 inches

First Leg Width:

2.500 inches

First Leg End Width:

1.500 inches

First Leg Distance Between Lower Hole Centers Along Width:

1.500 inches

First Leg Distance Between Hole Centers Along Length:

0.750 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Special Features:

Four holes, two each leg, 0.406 in. Min and 0.480 in. Maximum dia; two holes, one each leg, 0.625 in. Dia

Material:

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

Qq-a-200/4 federal specification 1st material response or qq-a-200/5 federal specification 2nd material response

Surface Treatment:

Paint

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0