

View Online at <https://aerobasegroup.com/nsn/5340-01-254-6546>

Mounting Hole Type:

Plain

First Leg Length:

5.310 inches

Second Leg Length:

11.500 inches

Reinforcement Method (non-core):

Gusset both legs

Second Leg Width:

5.500 inches

First Leg Hole Diameter:

Between 0.435 inches and 0.446 inches

Second Leg Hole Diameter:

Between 0.247 inches and 0.256 inches

Second Leg Distance Between Hole Centers Along Width:

1.3750 inches

Second Leg Distance Between Hole Centers Along Length:

6.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

4.000 inches

First Leg Thickness:

0.1196 inches

Second Leg Thickness:

0.1196 inches

First Leg Width:

5.500 inches

First Leg Corner Radius:

0.120 inches

First Leg Distance Between Hole Centers Along Width:

4.000 inches

First Leg Distance Between Hole Centers Along Length:

3.880 inches

First Leg Distance From Edge To Hole Center Along Width:

2.060 inches

First Leg Distance From Edge To Hole Center Along Length:

0.618 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Astma569 assn standard single material response or astma366 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0