

View Online at <https://aerobasegroup.com/nsn/5340-01-255-6823>

**First Leg Thickness:**

0.100 inches

**Second Leg Thickness:**

0.100 inches

**Center Section Thickness:**

0.100 inches

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

33.5 degrees

**Second Leg Angle:**

88.0 degrees

**Special Features:**

1st leg has 3 holes diameter 0.2495 to 0.2517 in. That mates w/68a113091 or 68a113132, 68a113070, 68a113004 or 68a113135 and 2 holes for 0.250 in. Taper lok pins mating w/68a113004 or 68a113135 and 68a112107; cntr section has 3 holes diameter 0.2495 to 0.2517 in. Mating w/68a113091 or 68a113132, is bup 91 degrees on 1 end and 87 degrees on opposite end; 2nd leg has 1o holes diameter 0.2495 to 0.2517, 5 holes mating w/68a113091 or 68a113132 and 5 holes mating w/68a113091 or 68a113132, 68a112107 and 68a113070 and has 0.750 in. Flg bup 90 deg

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-250/13 cond 0 federal specification single material response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0