

View Online at <https://aerobasegroup.com/nsn/5340-01-256-9656>

Mounting Hole Type:

Plain

First Leg Length:

3.250 inches

Second Leg Length:

3.250 inches

Second Leg Width:

2.000 inches

Second Leg End Width:

0.810 inches

First Leg Hole Diameter:

0.542 inches

Second Leg Hole Diameter:

0.220 inches

Second Leg Distance Between Lower Hole Centers Along Width:

1.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.570 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.180 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

1.720 inches

Center Section Width:

2.000 inches

Center Section Thickness:

0.250 inches

First Leg Width:

2.000 inches

First Leg End Width:

0.810 inches

First Leg Distance Between Hole Centers Along Width:

0.750 inches

First Leg Distance Between Hole Centers Along Length:

1.570 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

1.180 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.090 degrees

Second Leg Angle:

0.090 degrees

Material:

Aluminum alloy 5083 or aluminum alloy 5086 or aluminum alloy a356.0

Material Specification:

Qq-a-200/4 federal specification 1st material response or qq-a-200/5 federal specification 2nd material response or b6 18 assn standard 3rd material response

Surface Treatment:

Paint

Surface Treatment Specification:

12359824 mfr ref single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0