## NSN 5340-01-257-4373

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-257-4373

**Mounting Hole Type:** 

Plain

First Leg Hole Diameter:

Between 0.213 inches and 0.224 inches

Second Leg Hole Diameter:

Between 0.098 inches and 0.102 inches

Second Leg Distance Between Hole Centers Along Length:

0.710 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.220 inches and 0.240 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.300 inches

First Leg Thickness:

Between 0.060 inches and 0.066 inches

**Second Leg Thickness:** 

Between 0.060 inches and 0.066 inches

**Center Section Thickness:** 

Between 0.060 inches and 0.066 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

**Second Leg Hole Arrangement Style:** 

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 149.0 degrees and 151.0 degrees

Second Leg Angle:

Between 142.0 degrees and 143.0 degrees

**Special Features:** 

Furnished w/two clips and riveted in four places

Material:

Nickel alloy 625

**Material Specification:** 

Ams 5599 assn standard single material response

**Style Designator:** 

Double angle

Shelf Life:

N/a

## NSN 5340-01-257-4373

Double Angle Bracket - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0