

View Online at <https://aerobasegroup.com/nsn/5340-01-257-5170>

Cross Sectional Shape:

Flat

Hole Diameter:

Between 0.2501 inches and 0.2507 inches

Edge Shape:

Rectangle, multi holes

Length:

41.550 inches

Hole Quantity Along Length:

14

Hole Quantity Along Width:

10

Distance Between Holes Along Length:

1.020 inches and 5.000 inches and 6.790 inches and 7.766 inches

Distance From First Hole Centerline To End Along Length:

2.380 inches

Body Thickness:

0.090 inches

Securing Device Type:

Special

Mounting Opening Shape Style:

Unthreaded hole

Features Provided:

Observation facility and special marking

Special Features:

Mtg holes csk 0.400 x 100 degrees requiring 18 stud nuts p/n 805233-4, 6 stud nuts p/n 805233-1 and rings p/n 534884-1; item has insulation p/n 29034951, 1 window w/dia 1.250 to 1.310 in., p/n 2903499-1, 4 mtg holes 0.116 in. Csk 0.18 x 82 degrees requiring 4 screws p/n ms51959-2; has "warning" decal, p/n 2902331-15, located 20.80 in. From lft edge along lg, also has a "charging pressure" decal p/n 2795164-1 & "caution" decal p/n 277684-6

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 tem t6 federal specification single material response

Surface Treatment:

Plastic

Surface Treatment Specification:

Mil-c-83286, type 1 color no. 36270 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A531c0

Mil-std (military Standard):

Mil-c-83286 spec.