## NSN 5340-01-258-4686

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-258-4686

Mounting Hole Type: Plain
First Leg Length: 0.530 inches
Second Leg Length: 0.530 inches
Second Leg Width:
9.000 inches
Second Leg Hole Diameter:
Second Leg Distance Between First And Second Hole Centers Along Width:
4.000 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
4.000 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.500 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Thickness:
0.032 inches
Second Leg Thickness:
0.032 inches
Center Section Height:
0.380 inches
Center Section Width:
9.000 inches
Center Section Thickness:
0.032 inches
First Leg Width:
9.000 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
No hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees

## NSN 5340-01-258-4686

Double Angle Bracket - Page 2 of 2



## Second Leg Angle: 90.0 degrees Material: Aluminum alloy 5052 **Material Specification:** Qq-a-250/8, h32 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625, type 2, cl 2 military specification single treatment response Style Designator: Double angle Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A042a0 Mil-std (military Standard): Mil-a-8625 spec.