

View Online at <https://aerobasegroup.com/nsn/5340-01-259-7832>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

2.000 inches

**Second Leg Length:**

2.180 inches

**Reinforcement Method (non-core):**

Gusset both legs

**Second Leg Width:**

2.680 inches

**Second Leg Corner Radius:**

0.500 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

1.160 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.718 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.718 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.212 inches

**First Leg Thickness:**

0.050 inches

**Second Leg Thickness:**

0.050 inches

**First Leg Width:**

2.680 inches

**First Leg Corner Radius:**

0.370 inches

**First Leg Distance Between Hole Centers Along Width:**

1.780 inches

**First Leg Distance Between Hole Centers Along Length:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.370 inches

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Plate on first leg; 0.123 in. Diameter hole on second leg

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-250/13, t6 federal specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0