

View Online at <https://aerobasegroup.com/nsn/5340-01-264-5985>

**Mounting Hole Type:**

Counterbored and plain

**First Leg Length:**

4.000 inches

**Second Leg Length:**

4.000 inches

**Second Leg Width:**

27.620 inches

**Second Leg End Width:**

25.620 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

3.250 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

1.625 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

5.687 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

2.540 inches

**Second Leg Slot Length:**

1.190 inches

**Second Leg Slot Width:**

0.562 inches

**Second Leg Distance Between Third And Fourth Hole Centers Along Width:**

1.625 inches

**First Leg Thickness:**

0.500 inches

**Second Leg Thickness:**

0.500 inches

**First Leg Width:**

27.620 inches

**First Leg Distance Between Hole Centers Along Width:**

2.125 inches

**First Leg Distance Between Hole Centers Along Length:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

1.125 inches

**First Leg Style:**

Square

**Second Leg Style:**

Chamfered ends

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Err Default:**

Err default

**Second Leg Chamfer Angle:**

Between 40.0 degrees and 50.0 degrees

**Special Features:**

1.062 in. W and 1.690 in lg slots 2nd leg, 0.812 in. Sq holes eight places 1st leg; color, forest green

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/16, t6 federal specification single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-f-14072, ps13.1, v military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-f-14072 spec.