## NSN 5340-01-264-8912

Double Angle Bracket - Page 1 of 2

First Leg Length: 2.244 inches



View Online at https://aerobasegroup.com/nsn/5340-01-264-8912

| Second Leg Length:  |
|---|
| 2.324 inches  |
| Second Leg Width:   |
| 5.500 inches  |
| First Leg Thickness:  |
| 0.074 inches  |
| Second Leg Thickness:   |
| 0.074 inches  |
| Center Section Height:  |
| 2.828 inches  |
| Center Section Width:   |
| 5.500 inches  |
| Center Section Thickness:   |
| 0.074 inches  |
| First Leg Width:  |
| 5.500 inches  |
| First Leg Style:  |
| Cut out   |
| First Leg Hole Arrangement Style:   |
| No hole   |
| Second Leg Style:   |
| Square  |
| Second Leg Hole Arrangement Style:  |
| No hole   |
| Second Leg Relationship To First Leg:   |
| Not identical   |
| First Leg Angle:  |
| 90.0 degrees  |
| Second Leg Angle:   |
| 90.0 degrees  |
| First Leg Cutout Length:  |
| 1.994 inches  |
| First Leg Cutout Width:   |
| 1.500 inches  |
| Special Features:   |
| First leg has radius cutout and chamfered ends; second leg has cent extension and 2 bolts; center section has 2 holes 0.288 in. Min and |
| 0.297 in. Maximum dia   |
| Material:   |
| Steel comp 1009   |
| Material Specification:   |
| Astm a366 assn standard single material response or astm a569 assn standard single material response                                    |

## NSN 5340-01-264-8912

Double Angle Bracket - Page 2 of 2



| Surface Treatment:   |
|--|
| Plastic polyurethane   |
| Surface Treatment Specification:                             |
| Mil-c-46168 military specification single treatment response |
| Style Designator:  |
| Adjacent angles  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A042a0   |

Mil-std (military Standard):

Mil-c-46168 spec.