NSN 5340-01-265-0879

Access Cover - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-265-0879

view Online at https://defobasegroup.com/nsh/3545-01-205-0073
Cross Sectional Shape:
Recess, same shape as the periphery
Width:
Between 34.93 millimeters and 35.19 millimeters
Flange Thickness:
8.13 millimeters
Edge Shape:
Rectangle, four holes
Length:
91.95 millimeters
Corner Radius:
1.5 millimeters
Distance Between Holes Along Length:
Between 60.32 millimeters and 60.58 millimeters
Distance Between Holes Along Width:
Between 26.81 millimeters and 27.07 millimeters
Distance From First Hole Centerline To End Along Length:
15.75 millimeters
Distance From First Hole Centerline To End Along Width:
4.060 millimeters
First Recess Inside Height:
7.6 millimeters
Body Thickness:
1.925 millimeters
Securing Device Type:
Special
Mounting Opening Shape Style:
Threaded hole
Special Features:
Dimension abku is along width; demension along length is 8.13 cm flange thickness
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11, t6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, t2, cl2 military specification single treatment response
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5340-01-265-0879

Access Cover - Page 2 of 2



Demilitarization:

No

Fiig:

A531c0

Mil-std (military Standard):

Mil-a-8625 spec.