

View Online at <https://aerobasegroup.com/nsn/5340-01-266-1087>

**Cross Sectional Shape:**

Recess, other than round

**Hole Diameter:**

Between 0.057 inches and 0.062 inches

**Width:**

5.374 inches

**Flange Thickness:**

1.067 inches

**Length:**

5.874 inches

**Inside Width:**

3.240 inches

**Inside Length:**

3.740 inches

**Distance Between Holes Along Length:**

0.914 inches

**Distance Between Holes Along Width:**

1.466 inches

**Distance Between Hole Centerline And First Hole Along Width:**

1.146 inches

**Distance From First Hole Centerline To End Along Length:**

0.594 inches

**Distance From First Hole Centerline To End Along Width:**

0.469 inches

**First Recess Inside Height:**

0.060 inches

**Securing Device Type:**

Special

**Mounting Opening Shape Style:**

Unthreaded hole

**Special Features:**

Four threaded holes 0.164-32 unc-3b on 2.750 in. By 3.936 mtg centers; ten mtg holes counterbored and reamed 0.500 in. Dp, 0.3125 in. Min 0.3165 in. Maximum diameter w/100.0 degrees countersink to 0.625 in. Dia; one surf only w/fuel resistant coating gss 4.303m, grumman aircraft

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-250/12, t6 federal specification single material response

**Surface Treatment:**

Primer zinc chromate

**Surface Treatment Specification:**

Gss9.010, grumman aircraft mfr ref single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A531c0