

View Online at <https://aerobasegroup.com/nsn/5340-01-266-3863>

Mounting Hole Type:

Plain

First Leg Length:

3.500 inches

Second Leg Length:

4.250 inches

Second Leg Width:

4.250 inches

Second Leg End Width:

3.750 inches

First Leg Hole Diameter:

0.406 inches

Second Leg Hole Diameter:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

4.250 inches

First Leg Distance Between Hole Centers Along Width:

1.750 inches

First Leg Distance Between Hole Centers Along Length:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.690 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

Between 40.0 degrees and 50.0 degrees

Special Features:

1st leg has a cut corner 0.250 in. X 45.0 deg, 1 pl

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8, t6 federal specification single material response

Surface Treatment:

Paint

Surface Treatment Specification:

Mil-c-22750 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-22750 spec.