NSN 5340-01-268-3374

Double Angle Bracket - Page 1 of 2

Primer epoxy



View Online at https://aerobasegroup.com/nsn/5340-01-268-3374

First Leg Length:
2.410 inches
Second Leg Length:
3.410 inches
Second Leg Width:
1.000 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
13.000 inches
Center Section Width:
0.500 inches
Center Section Thickness:
0.380 inches
First Leg Width:
1.000 inches
First Leg Style:
Cut out
First Leg Hole Arrangement Style:
No hole
Second Leg Relationship To First Leg:
Identical
First Leg Angle:
45.0 degrees
Second Leg Angle:
45.0 degrees
First Leg Cutout Length:
0.880 inches
First Leg Cutout Width:
0.406 inches
Second Leg Cutout Length:
0.880 inches
Second Leg Cutout Width:
0.406 inches
Material:
Aluminum alloy 5083 or aluminum alloy 5086
Material Specification:
Qq-a-250/6 federal specification single material response or qq-250/7 federal specification single material response
Surface Treatment:

NSN 5340-01-268-3374

Double Angle Bracket - Page 2 of 2



Surface Treatment Specification:

Mil-p-53030 military specification single treatment response or mil-p-53022 military specification single treatment response or mil-p-23377 military specification single treatment response

Styla	Designator	•
OLYIC	Designator	•

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-p-53030 spec.