

View Online at <https://aerobasegroup.com/nsn/5340-01-269-3702>

Mounting Hole Type:

Plain

First Leg Length:

4.310 inches

Second Leg Length:

5.000 inches

Second Leg End Width:

5.875 inches

First Leg Hole Diameter:

0.280 mils and 0.287 centimeters

Second Leg Hole Diameter:

0.280 mils and 0.287 centimeters

Second Leg Distance Between Hole Centers Along Width:

5.375 inches

Second Leg Distance Between Hole Centers Along Length:

3.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

3.680 inches

First Leg End Width:

4.560 inches

First Leg Distance Between Hole Centers Along Width:

2.840 inches

First Leg Distance Between Hole Centers Along Length:

2.840 inches

First Leg Distance From Edge To Hole Center Along Width:

0.860 inches

First Leg Distance From Edge To Hole Center Along Length:

0.590 inches

First Leg Hole Arrangement Style:

Four holes

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.