

View Online at <https://aerobasegroup.com/nsn/5340-01-269-7565>

Mounting Hole Type:

Plain

First Leg Length:

0.373 inches

Second Leg Length:

0.990 inches

Second Leg Width:

1.220 inches

Second Leg End Width:

0.980 inches

First Leg Hole Diameter:

Between 0.098 inches and 0.106 inches

Second Leg Hole Diameter:

Between 0.143 inches and 0.149 inches

Second Leg Distance Between Hole Centers Along Width:

0.940 inches

Second Leg Distance Between Hole Centers Along Length:

0.540 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.140 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.200 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

Center Section Height:

0.413 inches

Center Section Width:

1.220 inches

Center Section Thickness:

0.063 inches

First Leg Width:

1.220 inches

First Leg Distance Between Hole Centers Along Width:

0.722 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.125 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, temp h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 3 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.