

View Online at <https://aerobasegroup.com/nsn/5340-01-274-8959>

**First Leg Length:**

Between 1.500 inches and 1.560 inches

**Second Leg Length:**

2.000 inches

**End Application:**

2350-01-248-7620

**Second Leg Width:**

4.000 inches

**Second Leg End Width:**

2.750 inches

**First Leg Hole Diameter:**

Between 0.300 inches and 0.320 inches

**Second Leg Hole Diameter:**

Between 0.390 inches and 0.410 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.090 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.820 inches and 0.880 inches

**First Leg Thickness:**

0.072 inches

**Second Leg Thickness:**

0.072 inches

**Center Section Height:**

Between 1.674 inches and 1.734 inches

**Center Section Width:**

4.000 inches

**Center Section Thickness:**

0.072 inches

**First Leg Width:**

4.000 inches

**First Leg End Width:**

3.740 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.090 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.320 inches and 0.440 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Angle

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Material:**

Steel comp 1045

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416 federal specification single treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiiig:**

A042a0