

View Online at <https://aerobasegroup.com/nsn/5340-01-275-3400>

Mounting Hole Type:

Plain

First Leg Length:

27.0 millimeters

Second Leg Length:

53.0 millimeters

Second Leg Width:

75.0 millimeters

Second Leg End Width:

65.0 millimeters

First Leg Hole Diameter:

2.4 millimeters

Second Leg Hole Diameter:

2.4 millimeters

Second Leg Distance Between Hole Centers Along Length:

30.9 major mils and 31.1 major centimeters

Second Leg Distance From Edge To Hole Center Along Width:

20.5 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

9.5 millimeters

First Leg Thickness:

2.0 millimeters

Second Leg Thickness:

2.0 millimeters

First Leg Width:

75.0 millimeters

First Leg End Width:

71.0 millimeters

First Leg Distance Between Hole Centers Along Width:

Between 64.9 millimeters and 65.1 millimeters

First Leg Distance From Edge To Hole Center Along Width:

5.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

13.5 millimeters

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Special Features:

2nd leg has three mtg holes

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-f-14072 spec.